

## High-grade Data Security with Ammonit Meteo-40 and AmmonitOR

Measurement data is irreplaceable. To protect your data, Ammonit Meteo-40 data loggers and our online monitoring platform AmmonitOR use the **OpenPGP standard** to encrypt and sign data by utilizing public key cryptography. This standard combines the advantages of asymmetric and symmetric cryptography: secure key transmission and high-speed communication. The implemented public key cryptography consists of public and private keys, which are used to encrypt / decrypt, sign and verify messages.


### Digital Signature

A digital signature is a mathematical scheme to ensure the authenticity of a digital message or document. A valid digital signature indicates to the recipient that the message was created by a known sender (authentication) and that the message was not manipulated on transit (integrity).

### Encryption

Encryption is a process of encoding messages or information in a way that only authorized parties can read it. The message or information is encrypted using an encryption algorithm, generating ciphertext that can only be read if decrypted. An authorized recipient can easily decrypt the message with the key provided by the originator to recipients, but not to unauthorized interceptors.

### Digital signature and encryption with Ammonit Meteo-40 data loggers and AmmonitOR



**Transparency and traceability to fulfil data quality standards according to IEC, German TR6 and MEASNET.**



AFTER ENCRYPTION ONLY THE KEY HOLDER IS ABLE TO DECRYPT FILES SENT BY AMMONIT METEO-40 DATA LOGGERS OR AMMONITOR. IN CASE OF MISSING KEYS, AMMONIT CANNOT DECRYPT CUSTOMER'S FILES AND DATA MAY BE LOST.

## How does data security work on Ammonit Meteo-40 data loggers?

### Protecting data created from Ammonit Meteo-40 data loggers



On each Meteo-40, Ammonit installs a unique private key. All files created by Meteo-40 can be encrypted and digitally signed with its individual private key. In order to verify these files, Ammonit provides a public key. To access the original measurement data, the public and private key must match.

- Without decryption, encrypted files cannot be read.
- Digitally signed files can be read. A valid digital signature indicates authenticity and integrity of the file. If digitally signed files have been changed, the digital signature is invalid.



| Digital signature with Meteo-40  | Encryption with Meteo-40  |
|--|---|
| This feature is available for newly purchased Ammonit Meteo-40 data loggers with installed firmware version 1.1 (2014-08-14) or later. | This feature is available since release 1.0.1 (2014-06-10) for all Ammonit Meteo-40 data loggers. |


**Signing and Encryption**

Unsigned and unencrypted  
 Sign data (GnuPG)  
 Sign and encrypt data (GnuPG)

Encryption password:  
  Show password

[Download public key \(GnuPG\)](#)

Fingerprint:  
 D349 3982 B79B 393F A4C0 560F D517 1FB3 A842 2979



## How do secure data exports work on AmmonitOR?

### Protecting data exports send via email or downloaded from AmmonitOR



Each AmmonitOR installation is equipped with a unique private key. All export files sent via email or download from AmmonitOR can be encrypted and digitally signed with its individual private key. In order to verify these files, Ammonit provides a public key. To access the original export data, the public and private key must match.



- Without decryption, encrypted files cannot be read.
- Digitally signed files can be read. A valid digital signature indicates authenticity and integrity of the file. If digitally signed files have been changed, the digital signature is invalid.

#### Digital signature with AmmonitOR

This feature is available for AmmonitOR installations with version 3.2.2 (2014-07-29) or later.

#### Encryption with AmmonitOR

This feature is available for AmmonitOR installations with version 3.1.12 (2013-08-30) or later.


**Security**

- Unsigned and unencrypted
- Sign data (GnuPG)
- Sign and encrypt data (GnuPG)

**Encryption password**  
X4eru0Cea

[Download public key \(GnuPG\)](#)


**Fingerprint:**  
60E7 6270 A192 64D1 A379 DCC6 DCBF B9E4 FECD 6C52



## Requirements for verifying and decrypting files

### GnuPG software

For verifying digital signatures and decrypting files, additional software is required. We recommend installing Gpg4win (GNU Privacy Guard for Windows) on Windows computers. Gpg4win needs to be configured before working with digital signatures and encryption (see scheme below).



Each Ammonit Meteo-40 data logger has a unique private key with corresponding public key. You have to import the public keys from all your Meteo-40 data loggers.

Each AmmonitOR installation has a unique private key with corresponding public key. All projects created in your AmmonitOR installation use the same public key.